

ROOF FRAMING PLAN

SCALE: 1/4" = 1'-0"

NOTES:

1. ALL LOAD-BEARING WALLS AND EXTERIOR WALLS SHALL CONSIST OF 2x4 STUDS SPACED AT 16" O.C. U.N.O.
2. WOOD POSTS SUPPORTING BUILT-UP 2x HEADERS SHALL BE (2)-2x4 UNO WOOD POSTS SUPPORTING BUILT-UP LVL HEADERS SHALL BE (2)-2x4 UNO
3. TRUSS DESIGNER SHALL DESIGN WOOD ROOF TRUSSES TO SUPPORT THE ATTIC SPACE MECHANICAL UNITS SEE MECH FOR UNIT LOCATION + WEIGHTS.
4. TRUSS DESIGNER SHALL DESIGN WOOD ROOF TRUSSES TO SUPPORT SEVICE PLATFORM SHOWN. FOR AN ADDITIONAL BOTTOM CHORD LL=20 PSF.
5. EXTERIOR WALL SHALL BE 3/8" IN EXTERIOR GYPSUM BOARD FASTENED TO STUDS WITH 5d COOLER NAILS AT 7 INCHES ON CENTER. UNLESS NOTED OTHERWISE, EDGES NEED BE BLOCKED.

6. SEE S6 FOR COLUMN AND HEADER SCHEDULE

Professional Certification. I, Jason B. Sparrow, hereby certify that these documents were prepared or approved by me, and that I am a duly licensed professional engineer under the laws of State of Maryland, License no. 34075, Expiration Date: 02/11/17.

LEASING OFFICE
CLUB HOUSE
Walker Mill Apartments

1926 Rochelle Avenue
District Heights, Maryland 20747

FEDERAL CAPITAL PARTNERS


5425 Wisconsin Avenue • Suite 202
Chevy Chase MD 20815
240 395 2000

NOVITSKE ARCHITECTS

201 North Fairfax Street • Suite 33
Alexandria VA 22314
703 535 7899 • 703 535 8840 fax

EHLERT BRYAN
consulting structural engineers
1451 Dolley Madison Blvd. Suite 220
McLean, VA 22101-3812
(703) 827-9552
Fax (703) 356-2031
www.ehert-bryan.com

graphic scales



project:	21418
phase:	Permit Revisions
date:	10 June 2016
revisions:	Reviewer Response / 1

ROOF FRAMING PLAN

S3